

RACE SKIS



ASYM. RACING SLALOM TIP PROTECTOR

ART.NUMBER

388005



WCR E-SL REBEL FIS

ART.NUMBER	LENGTH	SIDECUT	RADIUS
313025	151 (not FIS conf.)	111 / 65 / 96	11,9
313085	156	114 / 66 / 100	12,4
	158	113 / 66 / 102	11,5
	165	120 / 67 / 104	12,0
	168	119 / 68 / 103	12,8

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Construction, RD Racing Top Sheet, Race Structured High Speed UHM C Base, Rebel Camber, FIS approved(except 313025), Infra-Red Base Waxing

PLATE	RACEPLATE WCR 14 SHORT
BINDING	100900 FREEFLEX ST 20 X RD Brake [A] 85 mm
	100902 FREEFLEX ST 16 X RD Brake [A] 85 mm
	100903 FREEFLEX ST 14 X Brake [A] 85 mm
	100963 PROTECTOR+ FREEFLEX ST 16 GW Brake [R] 85 mm
	114670 FREEFLEX ST 16 Brake [A] 85 mm

WCR E-GS REBEL FIS

ART.NUMBER	LENGTH	SIDECUT	RADIUS
313005	183	99 / 65 / 81	30,5
	188	101 / 66 / 82	31,0
	193	101 / 65 / 84	30,5

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Construction, RD Racing Top Sheet, Race Structured High Speed UHM C Base, Rebel Camber, FIS approved for Worldcup and European Cup and all Continental Cup, Infra-Red Base Waxing

PLATE	RACEPLATE WCR 14 SHORT
BINDING	100900 FREEFLEX ST 20 X RD Brake [A] 85 mm
	100902 FREEFLEX ST 16 X RD Brake [A] 85 mm
	100903 FREEFLEX ST 14 X Brake [A] 85 mm
	100963 PROTECTOR+ FREEFLEX ST 16 GW Brake [R] 85
	114670 FREEFLEX ST 16 Brake [A] 85 mm



THE MASTERS' RACE WEAPON

One model in four different sizes, same wider footprint, distinguished only by its radius. Therefore we can offer a tailor made setup for each individual needs and requests.

The skis offer the same construction and technology as the FIS certified models. The big difference is the wider footprint as it delivers a less aggressive setup but full performance. The smaller radius allows for easier and super manoeuvrable handling.

That would be the best characterization as the Masters rules don't follow the FIS rules.

WCR E-GS REBEL PRO

ART.NUMBER	LENGTH	SIDECUT	RADIUS
313065	177	106 / 68 / 90	22,0
	183	104 / 68 / 89	25,4
	189	104 / 68 / 89	27,0
	191	107 / 68 / 87	28,0

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Construction, RD Racing Top Sheet, Race Structured High Speed UHM C Base, Rebel Camber, Infra-Red Base Waxing

PLATE	RACEPLATE WCR 14 SHORT
BINDING	100900 FREEFLEX ST 20 X RD Brake [A] 85 mm
	100902 FREEFLEX ST 16 X RD Brake [A] 85 mm
	100903 FREEFLEX ST 14 X Brake [A] 85 mm
	100963 PROTECTOR+ FREEFLEX ST 16 GW Brake [R] 85 mm
	114670 FREEFLEX ST 16 Brake [A] 85 mm

RACE SKIS



WCR E-GS REBEL

ART.NUMBER	LENGTH	SIDECUT	RADIUS
313045/313055	176	102 / 65 / 87	23,0
313045/313055	181	102 / 65 / 86	25,0
313045	186	104 / 65 / 87	25,0
	188	102 / 65 / 85	27,5

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Construction, RD Racing Top Sheet, Race Structured High Speed UHM C Base, Rebel Camber, Infra-Red Base Waxing

PLATE	RACEPLATE WCR 14 SHORT
BINDING	100900 FREEFLEX ST 20 X RD Brake [A] 85 mm
	100902 FREEFLEX ST 16 X RD Brake [A] 85 mm
	100903 FREEFLEX ST 14 X Brake [A] 85 mm
	100963 PROTECTOR+ FREEFLEX ST 16 GW Brake [R] 85 mm
	114670 FREEFLEX ST 16 Brake [A] 85 mm
	100964 PROTECTOR+ FREEFLEX 14 GW [R] 85 mm
	100965 FREEFLEX 11 RACE [A] 85 mm


WCR E-SG REBEL

ART.NUMBER	LENGTH	SIDECUT	RADIUS
318065	202	95 / 65 / 80	40,5
318055	207 M	94 / 65 / 79	45,5
318045	207 W	95 / 65 / 80	42,0
318115	210	96 / 66 / 81	42,5
318035	213	96 / 66 / 80	45,0

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Construction, RD Racing Top Sheet, Race Structured High Speed UHM C Base, Rebel Camber, FIS approved for Worldcup and European Cup and all Continental Cups , Infra-Red Base Waxing, Traction (Length 207 W, 210 and 213)

PLATE	DH RACEPLATE
BINDING	100901 FREEFLEX ST 20 X RS Brake [A] 85 mm



WCR E-DH REBEL

ART.NUMBER	LENGTH	SIDECUT	RADIUS
318025	210,5	91 / 66 / 78	50,0
318015	215,5	92 / 66 / 79	50,0
318005	217,5	92 / 66 / 80	50,5

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Construction, RD Racing Top Sheet, Race Structured High Speed UHM C Base, Rebel Camber, FIS approved for Worldcup and European Cup and all Continental Cups , Infra-Red Base Waxing, Traction (Length 215 and 218)

PLATE	DH RACEPLATE
BINDING	100901 FREEFLEX ST 20 X RS Brake [A] 85 mm

WCR E-SG REBEL

ART.NUMBER	LENGTH	SIDECUT	RADIUS
318105	175	93 / 65 / 82	27,0
318095	185	98 / 65 / 81	30,0
318085	195	98 / 65 / 82	33,0
318075	200	98 / 65 / 81	36,0

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Construction, RD Racing Top Sheet, Race Structured High Speed UHM C Base, Rebel Camber, FIS approved

PLATE	RACEPLATE WCR 14 SHORT
BINDING	100901 FREEFLEX ST 20 X RS Brake [A] 85 mm